Notice of Allowability	Application No.	Applicant(s)
	10/761,533	SHIPMAN ET AL.
	Examiner	Art Unit
	EUNCHA P. CHERRY	2872
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 6/19/06.		
2. The allowed claim(s) is/are 1-10.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atont Application
Notice of References Cited (PTO-992) Notice of Draftperson's Patent Drawing Review (PTO-948)		• •
	Paper No./Mail Dat	e
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 6/19/06,6/20/06	7. ⊠ Examiner's Amendn —	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. X Examiner's Stateme	nt of Reasons for Allowance
	9. Other	

Application/Control Number: 10/761,533

Art Unit: 2872

DETAILED ACTION

Page 2

Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1-10, drawn to an interior cavity feature, classified in class 359, subclass 529.
 - II. Claims 11-13, drawn to a discreet interior layer feature, classified in class 359, subclass 535.
 - III. Claim 14, drawn to a coefficient of retroreflected luminance feature, classified in class 359, subclass 530.
 - IV. Claims 16-21, drawn to a retroreflective sheeting about the elongated member feature, classified in class 359, subclass 530.

The inventions are distinct, each from the other because of the following reasons:

2. Inventions I are (II, III or IV) are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In

Application/Control Number: 10/761,533 Page 3

Art Unit: 2872

the instant case, subcombination I has separate utility such as an interior cavity feature. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP \$ 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

3. Inventions II are (III or IV) are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination II has separate utility such as a discreet interior layer feature. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a

Art Unit: 2872

subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Inventions III are IV related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination III has separate utility such as a coefficient of retroreflected luminance feature. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See

Application/Control Number: 10/761,533
Art Unit: 2872

MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

- 5. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions require a different field of search (see MPEP § 808.02), restriction for examination purposes as indicated is proper.
- 6. Applicant's election without traverse of Group I during a personal interview on 8/21/06 is acknowledged.

Examiner's Amendment

7. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Carolyn Fischer on 9/12/06.

Application/Control Number: 10/761,533 Page 6

Art Unit: 2872

The application has been amended as follows:

In claim 1, on line 1, change "having" after "element" to comprising --;

In claim 1, on line 2, change "and" after "4 mm" to -- , -- ; and

In claim 1, on line 2, after "elements" add -- , --.

Also, cancel claims 11-21 as being directed to non-elected groups.

Reasons for Allowance

8. The following is an examiner's statement of reasons for allowance: claims are allowable at least for the reason that the prior art does not teach or reasonably suggest the retroreflective element comprising optical elements and interior cavity as set forth in the claimed combination while satisfying the specified outside diameter.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to EUNCHA P.

Application/Control Number: 10/761,533 Page 7

Art Unit: 2872

CHERRY whose telephone number is 571-272-2310. The examiner can normally be reached on M-F 6:30-4:00, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DREW DUNN can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EUNCHA P. CHERRY

Primary Examiner

Art Unit 2872